

inno^{fi}

IN-TENSIVE


Design Jouni Leino

inno^{fi}

Inno started manufacturing personal looking and timeless products that stand out of the mass in 1975. Today Inno is known of it's internationally awarded collection. Inno develops innovative products of high quality to meet the most demanding requirements of public interiors.

"We strongly believe that a good product has to give more than a look and a function, it has to feel right".

www.inno.fi



TOOLS FOR ARCHITECTS

Functionality and timeless elegance are tied together with modular simplicity. The highly versatile meeting table system In-tensive is extremely flexible and adapts to various interiors. In-tensive is your key to a successful meeting furnishing project, be it in modern or classic style.

Offering solutions for different conference needs, the main features include modular structure, table tops in different shapes, sizes and materials and a large variety of leg versions. All In-tensive tables have a spacious cable tray for easy cable management and hiding conference equipment. The tray is accessed through hinged flaps. When closed, these flaps will leave a gap for distribution of cables keeping unnecessary equipment out of sight.

In-tensive is awarded with the Muuz International Design Award 2015.

The designer interior architect Jouni Leino founded his design studio in 1992 and has since developed projects mostly for public spaces and offices. His co-operation with Inno has been long and successful.



INSPIRATION





Chairs: Basso, Design: Harri Korhonen




Chairs: Lab, Design: Harri Korhonen



Chairs: Kola, Design: Mikko Laakkonen



Chairs: Select, Design: Harri Korhonen



ROUND TABLES



LEG OPTIONS



Frame leg



Frame leg with covers



Wooden frame leg



Cover leg




Metal leg



Metal leg with wheels




Wood leg



T leg

STANDARD MATERIALS



SELECTED COLOURS



In addition to standard materials four selected colours are available for metal and ash.



MODULAR SOLUTIONS



Folding version (custom request)





Chairs: Select, Design: Harri Korhonen



Chairs: Basso, Design: Harri Korhonen

CUSTOM SOLUTIONS




Double cable tray with two parallel flaps



Integrated microphones




U shaped table with modesty panels




Flush mounting

CABLE MANAGEMENT




Options for routing cables to the table, incl. cuts and panels in legs, cable totems and tubes.

Second level as an option to hide cables and to install electric/data components.




SPECIFICATIONS





The above examples show possible custom solutions based on In-tensive components. Ask for a best custom solution for your project after particular specifications.

2d & 3d cad files available for planning purposes on our web www.inno.fi



Recommended minimum distance from wall 1000 mm




Tabletop:
- Standard shapes S (rectangular) C (boat) O (ellipse) F (rounded)
- Standard width 1200 or 1500mm (*min. 1000mm)
- Thickness 26 or 39mm
- Edge profiles (SR / VR / SVR)









Flaps:
- Length 1200 / 1500 / 1800 / 2000mm
- Access width when opened 130mm (when closed 20mm)

Cable trays:
- Trapezoid of dim 360/260h130mm in section

Legs:
- In between users, min. 300mm set back from the edge of the table (*less if table width under 1200mm)
- 8 different types in 2 widths
- Height 695mm + height adjustment glides

Materials:
- Standard materials on page 18









S3S
C3C
O3O
F3F

FLAPS 1200

60cm

16 / 18







S3S
C3C
O3O
F3F

FLAPS 1500

75cm

16 / 18







S3S
C3C
O3O
F3F

FLAPS 1800

60cm

22 / 24







S3S
C3C
O3O
F3F

FLAPS 2000

66cm

22 / 24







S4S
C4C
O4O
F4F

FLAPS 1200

60cm

20 / 22







S4S
C4C
O4O
F4F

FLAPS 1500

75cm

20 / 22




S4S
C4C
O4O
F4F

FLAPS 1800


60cm

28 / 30


1200/1500




1200/1500



1500



1200/1500




S5S
C5C
O5O
F5F

FLAPS 1200


60cm

24 / 26


1200/1500




1200/1500



1500



1200/1500




S4S
C4C
O4O
F4F

FLAPS 2000


66cm

28 / 30


1200/1500




1200/1500



1500



1200/1500




S5S
C5C
O5O
F5F

FLAPS 1500


75cm

24 / 26


1200/1500




1200/1500



1500



1200/1500







S5S
C5C
O5O
F5F

FLAPS 1800

60cm

34 / 36







S5S
C5C
O5O
F5F

FLAPS 2000

66cm

34 / 36







S Unit
C Unit
O Unit
F Unit

FLAPS 1800

65-70cm

8 / 10







S Unit
C Unit
O Unit
F Unit

FLAPS 1500

57-62cm

8 / 10







S Unit
C Unit
O Unit
F Unit

FLAPS 1200

63-73cm

6 / 8







S Unit
C Unit
O Unit
F Unit

FLAPS 800

75-90cm

4 / 6




Modular
Unit (CH)

FLAPS 1000

90cm

4 / 5




R Unit
FLAPS 500

4 / 5




R Unit
FLAPS 800

5 / 6



2R
FLAPS 1000

6 / 7



2R
FLAPS 800

8 / 10

